



Ruby

STYLISH • COMPACT • POWERFUL



QUALITY ESPRESSO
Capture the Essence

Stylish Compact

Ruby PRO

Designed for small space but medium volume serving locations that use ground coffee, capsules or pods.

Two versions:

- Direct water connection with rotary pump; or
- Built-in 3 litre tank with 2 vibration pumps

Especialmente diseñada para establecimientos con espacios reducidos y consumo medio de café en grano, cápsulas o monodosis.

Dos versiones:

- Conexión red hídrica, equipada con bomba rotativa; o
- Depósito de 3 litros, equipada con 2 bombas vibratorias



Modern
and stylish
Moderna
y elegante



Powerful • Moderna

Ruby PRO TWO

Designed for high volume serving locations that use ground coffee, capsules or pods, but with little space for the coffee machine. Up to four cups at the same time.

Two versions:

- Direct water connection with rotary pump; or
- Built-in 5 litre tank with 3 vibration pumps

Especialmente diseñada para establecimientos con un alto volumen de consumo de café en grano, cápsulas o monodosis pero poco espacio para la máquina de café. Hasta cuatro tazas de café al mismo tiempo.

Dos versiones:

- Conexión red hídrica, equipada con bomba rotativa; o
- Depósito de 5 litros, equipada con 3 bombas vibratorias



Powerful
and
professional
Potente y
profesional



Compacta Potente

Ruby
Office

Designed for low volume locations.
Exclusive "Espresso Priority System": Completes espresso preparation even if the tank reaches the minimum water level, or if the boiler needs to take on water after making tea or frothing milk. Built-in 3 litre tank with 1 vibration pump

Diseñada para locales con poco consumo.

Exclusivo "Espresso Priority System": Preparación completa del café espresso aunque el depósito de agua esté al nivel mínimo o la caldera tenga que tomar agua tras efectuar infusiones o activar la lanza de vapor. Depósito de 3 litros, equipada con 1 bomba vibratoria



Space-
saving
Mínimo
espacio



COMMON FEATURES / CARACTERÍSTICAS COMUNES

PROFESSIONAL

Built with group, filter holder and solenoids used for professional foodservice models

ADAPTABLE

- Coffee outlet for cups of up to 9.5 cm tall
- Narrow two cup filter holder for double or single servings
- Easy filter basket change for pod or single coffee servings

RELIABLE

- Safety thermostat
- The machine does not heat up until the boiler water is at working level

CAPSULES

- Capsule options available

PROFESIONAL

Incorpora grupo, porta filtro y electroválvulas de modelos de uso profesional

ADAPTABLE

- Salida de café adecuada para vasos de hasta 9,5 cm
- Porta filtro de doble salida estrecha para servicios de café doble o café sencillo
- Fácil cambio de filtro para servicios de un café o monodosis

SEGURA

- Termostato de seguridad
- La resistencia no funciona si el nivel de agua no es el adecuado

CÁPSULAS

- Disponible en versiones adaptadas a cápsulas



Features / Características	Ruby Office	Ruby Pro	Ruby Pro Two
Height / Alto	37 cm	37 cm	37 cm
Depth / Fondo	51 cm	51 cm	51 cm
Width / Ancho	31 cm	43 cm	57 cm
Boiler capacity / Capacidad caldera	1,5 L	5 L	6,5 L
Element / Resistencia (220 V)*	1500 W	2500 W	2500 W
Weight / Peso	18 Kg	25 Kg	33 Kg
Colour / Color	● ● ○	● ● ○	● ● ○
Filter holders / Porta filtros	1	1	2

* The heating element on all 110 V models is 1500 W. / La resistencia en todos los modelos a 110 V es de 1500 W.



TANK VERSION

- Easy to fill water tank
- Easy to remove drip tray with "full" indicator
- No direct water connection needed

VERSIÓN CON DEPÓSITO

- Fácil acceso para el llenado del depósito de agua
- Fácil extracción de la bandeja desagüe para su limpieza con indicador de "lleno"
- Sin necesidad de conectar a la red hídrica



QUALITY ESPRESSO

Capture the Essence



QUALITY ESPRESSO S.A.

Motors, 1 - 9 • 08040 Barcelona, Spain

T +34 932 231 200

Export T +34 933 946 305

E info@qualityespresso.net

www.qualityespresso.net



At Quality Espresso in Barcelona we craft our espresso machines in a traditional manner, building a quality product which is professional, adaptable and innovative.

In the interest of continuous product development, the manufacturer reserves the right to modify the characteristics of the appliances presented in this publication without notice.
En el interés del desarrollo continuo, el fabricante se reserva el derecho de modificar sin preaviso las características de las máquinas presentadas en este folleto.